

BILONICKA, Maria

Ambulatory treatment of specific pleural empyema. Gruslica 22
no.11:787-794 Nov 54.

1. Z kliniki ftyszjatrycznej Akad. Med. w Gdansk (ul. Debinki 70)
- kierownik: prof. dr. M. Felatycki
(EMPYEMA, PLEURAL, therapy
ambulatory)
(OUTPATIENT SERVICE
empyema, pleural)

BILOWICKA, Maria.

Antibiotics in therapy of sequels of pulmonary tuberculous hemorrhages. Gruslica 23 no.8:555-559 Aug 55.

1. Z Kliniki Ftysjatrycznej Akademii Medycznej w Gdansk.
Kierownik: prof. dr. M.Telatycki. Gdansk, ul. Debtenki 7a,
Klinika Ftysjatryczna A.M.

(TUBERCULOSIS, PULMONARY, complications
hemorrh. sequels, ther., antibiotics)

(HEMORRHAGES, in various diseases

tuberc., pulm. ther. of sequels with antibiotics)

(ANTIBIOTICS, ther. use

tuberc., pulm. hemorrh. sequels)

BILOWICKA, Maria; LIBISZOWSKA-STANIUL, Maria; KUSZEWSKI, Bogdan;
SZELCZYNSKI, Kazimierz

Combined treatment of pulmonary tuberculosis with streptomycin
and isoniazid. Gruslica 24 no.1:41-47 Jan 56.

1. Z Kliniki Ftyszjatricznej Akademii Medycznej w Gdansk
Kierownik: prof. dr. M. Telatycki, Praca zlecona przez Instytut
Gruslicy, Gdansk, ul. Debinki 7 a. Klinika Ftyszjatriczna.

(TUBERCULOSIS, PULMONARY, ther.

streptomycin & isoniazid.)

(STREPTOMYCIN, ther. use

tuberc., pulm., with isoniazid.)

(NICOTINIC ACID ISOMERS, ther. use

isoniazid in pulm. tuberc., with streptomycin.)

BIŁOWICKA, Maria; GRANICZNA, Lucja; SZKLEZYŃSKI, Kazimierz

Evaluation of results of treatment of tuberculous cavities
with intrabronchial instillations of antimicrobial drugs.
Gruslica 25 no.1:23-30 Jan 57.

1. Z Kliniki Ftyzjatrycznej Akademii Medycznej w Gdańsku
Kierownik: prof. dr. M. Telatycki. Adres: Gdańsk, ul.
Miszewskiego 18.

(TUBERCULOSIS, ther.

intrabronchial instillations of antimicrobial drugs
in cavities ther. (Pol))

BILOWICKZ, Maria

4 Cases of tuberculosis of the tongue with specific therapy. Polski tygod.
lek. 13 no.30:1163-1167 28 July 58.

1. (Z Kliniki Gruzieloy Pluc A. M. w Gdansk; kierownik: prof. dr T.
Kielanowski). Gdansk-Wrzeszcz, Klinika Ftyzjatryczna A.M.

(TUBERCULOSIS, PULMONARY, case reports

with tuberc. of tongue, ther. (Pol))

(TUBERCULOSIS, case reports

tuberc. of tongue, with pulm. tuberc., ther. (Pol))

(TONGUE, dis.

tuberc., with pulm. tuberc., ther. (Pol))

BILOWICKA, Maria (Gdansk VI, ul. Miszewskiego 18/1)

Pneumoperitoneum in the treatment of cavitary lung tuberculosis; late results. Polski tygod. lek. 14 no.19:870-876 11 May 59.

1..Z Kliniki Ftysjatrycznej A. M. w Gdansku, kierownik: prof. dr T. Kielanowski.

(PNEUMOPERITONEUM, ARTIFICIAL, ther. use
pulm. tuberc. with cavitation (Pol))

BILOWICKI, Jacek

Fodder granulation. Zesz probl post nauk roln no. 44:293-315
'64.

1. Department of Drying, Institute of Mechanization and
Electrification in Agriculture, Warsaw.

PILOTT, M.

"Rosliny "alo-Kutyshans'koho lisu Vinnits'koi okruhi," Trudy S.-H.
Botaniky, Kharkov, vol. 1, 1927, no, pp. 152-165.

BILOZOR, R.^VA. Cand Bio Sci--(diss) "Arterial vascularization of ~~the~~ ^{the} cattle
udders ~~of cattle~~ in connection with milk productivity." L'vov, 1958. 19 pp
(L'vov Zoo-Vet Inst. Chair of Anatomy and Histology of Domestic Animals)
(KL, 26-58, 107)

36 -

BOLDYREV, B.G.; KOLMAKOVA, L.Ye.; BILOZOR, T.K.

Thiosulfonic acids. Part 9; Diesters of thiosulfonic acids.
Zhur'ob.khim. 33 no.6:1980-1983 Je '63. (MIRA 16:7)

1. L'vovskiy politekhnicheskii institut.
(Sulfonic acids)

BILOZUB, V.G.

STARCHENKO, V.F., glavnyy red.; KANEVS'KIY, O.P., red.; RUDNITS'KIY, P.V. red.; LUTSENKO, F.G., red.; *BILOZUB, V.G.*, red.; PAVLENKO, M.K., red.; SVISTEL'NIK, A.N., red.; KHOTENKO, M.P., red.; ZADONTSEV, A.P., red.; POPOV, F.A., red.; DANILYUK, O.T., red.; TRITINCHENKO, A.P., red.; AKS'ONOV, G.G., tekhn.red.

[Agricultural manual for administrative personnel of province and district organizations, directors of machine-tractor stations, chairmen of collective farms and agricultural specialists]

Posibnik po sel's'komu hospodarstvu dlia kerivnykh pratsivnykhiv oblasnykh i raionnykh organizatsiy, dyrektoriv MTS, holiv kolhospiv i fakhivtsiv sil's'koho hospodarstva. Skladyeni za red.: V.F.Starchenka [and others] Holovnyi red.V.F.Starchenko. Kyiv, Derzh.vyd-vo sil's'kohospodars'koi lit-ry URSS. Book 1. 1946. 1269 p. (MIRA 11:1)

1. Chlen-korrespondent akademii nauk URSS (for Starchenko). (Agriculture)

SPIVAK, M.S., glavnyy redaktor; BILOZUB, V.G., redaktor; VASILENKO, P.M., redaktor; ZORIN, I.G., redaktor; IL'CHENKO, I.K., redaktor; KOVAL', O.G., redaktor; KRILOV, O.F., redaktor; PUKHAL'S'KIY, A.V., redaktor; SIDORENKO, O.P., redaktor; ~~FEDCHENKO~~, O.N., redaktor; ANGELINA, P.M., redaktor; BUZANOV, I.F., redaktor; BOYKO, D.V., redaktor; BURKATS'KA, G.E., redaktor; VASILENKO, A.O., redaktor; VIASYUK, P.A., redaktor; GORODNIY, M.G., redaktor; ~~DEMIDENKO~~, T.T., redaktor; DUBKOVETS'KIY, F.I., redaktor; KIRICHENKO, F.G., redaktor; LITOVCHENKO, G.P., redaktor; OZERNIY, M.O., redaktor; PERSHIN, P.M., redaktor; POPOV, F.A., redaktor; POSMITNIY, M.O., redaktor; PSHENICHNIY, P.D., redaktor; RADCHENKO, B.P., redaktor; POMANENKO, S.S., redaktor; RUBIN, S.S., redaktor; SAVCHENKO, M.Kh., redaktor; SOKOLOVS'KIY, O.N., redaktor; TSIBENKO, K.O., redaktor; SHCHERBINA, O.P., redaktor; KRAVCHENKO, M.F., tekhnichnyi redaktor

[Collective farm encyclopedia] Kolhospna vyrobnycha ensyklopedia.
Vyd. 2-e, perer. i dop. Kyiv, Derzh.vyd-vo sil's'kohospodars'koi
lit-ry URSS. Vol.1. Abrykos - Liutserna. 1956. 756 p. (MIRA 9:9)
(Agriculture--Encyclopedias and dictionaries)

KOPYSC, Zbyslaw; ~~BIŁSKA, Joanna~~

Salmonella dublin as an etiologic factor in cerebrospinal meningitis.
Pediat. polska 34 no.3:323-328 Mar 59.

1. Z Oddziału Dziecięcego Szpitala Wojewódzkiego w Zielonej Górze
Dyrektor: dr med. Z. Pieniezny; Adres: Lek. Zbysław Kopysc, Zielona Góra,
ul. Moniuszki 39 m. 1.

(MENINGITIS, in inf. & child,

Salmonella dublin (Pol))

(SALMONELLA INFECTIONS, in inf. & child,
dublin meningitis (Pol))

POLAND/Technical Crops. Oil Plants. Sugar Plants.

M

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77784.

Author : Barbacki, S.; Dilski, E.; Rosnowski, St.

Inst :

Title : Results of Experiments with Sugar Beet Varieties for 1947-1951.

Orig Pub: Roczn. nauk rolniczych., 1956, D73, 134, p. 11.

Abstract: Results of experiments with 20 varieties of sugar beet conducted at 37 bases in Poland during 1947-1951. Varieties were used from 6 different selection establishments. The study was carried out according to the unit method with 8-fold repetitions and distribution of plots according to Fisher. Harvests were tabulated by roots, saccharinity,

Card : 1/4

POLAND/Technical Crops. Oil Plants. Sugar Plants.

M

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77784.

tively increase their saccharinity in the south-east regions, and sugars - in the northwest regions. However, as regards collection of sugar, the varieties AI-3 and KDS-P stand out predominantly which are the varieties of normal type. The variety AI-3 is resistant to cercosporiasis, has few blossoms and relatively more foliage. Of the harvested varieties, as regards collection of sugar, the variety PZHR-4 stands out, but it is weakly resistant to cercosporiasis and has little foliage; the least productive variety is RZHR-3. The variety Yanash (AI-1) proved to have the most sugar. The more productive of the sugar varieties is the variety Dushchinskiy KRS-MLR. Of the varieties resistant

Card : 3/4

BILSKI, F.

The role of gravimetric measurements in science and technology.

P. 98 (PRZEGŁAD GEOFIZYJNY) Poland, Vol. 13, No. 3, Mar. 1957

SO: Monthly Index of European Accessions (AEEI) Vol. 6, No. 11, November 1957

S/035/62/000/012/057/064
A001/A101

AUTHOR: Bilski, Edmund

TITLE: Appliances for calculating corrections to gravity accelerations due to attraction by the Moon and Sun

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 12, 1962, 32, abstract 12G201 ("Przegl. geod.", 1961, v. 33, no. 10, 376 - 382, Polish)

TEXT: The author presents auxiliary tables and a nomogram for calculating corrections due to tidal variations of gravity for latitudes ranging from 50 to 54°. The hour angle, declination and parallax of the Moon and Sun are to be taken from astronomical year-books. An example of calculating corrections is presented. There are 6 references. ✓

P. Sh.

[Abstracter's note: Complete translation]

Card 1/1

BIISKI, Edmund

On the conditions and ways of considering the Moon-Sun
correction in gravimetry. Przegl geolog 10 no.7:361-364
Jl '62.

1. Katedra Geodezji Wysszej, Politechnika, Warszawa.

BILSKI, Edmund

Current problems of gravity anomalies in prospecting gravimetry.
Przegl geol 10 no.9:480-483 S '62.

1. Katedra Geodezji Wyższej, Politechnika, Warszawa.

ALEXANDROWICZ, S., prof. dr; BILSKI, E.; MARUNIEWICZ, W.; ZWOLINSKI, J.

Absolute weight as indicating the leanness of the bacon pig carcass. Roczniki nauki rolniczo-zootechnicznej 84 no.1:1-9 '64.

1. Department of Specific Animal Breeding of the School of Agriculture, Poznan. Head:prof. Alexandrowicz.

KAULBERSZ, J.;BILSKI, R.

Gastric secretion after the administration of pancreatic juice intravenously and directly into the stomach. Acta physiol. polon. 3 Suppl. 3: 195-197 1952. (CML 24:1)

1. Of the Institute of Physiology (Head—Prof. J. Kaulbersz, M.D.) of Krakow Medical Academy.

B. I. S. K. I., R.

Met ✓ Effects of intragastric and intravenous administration of bile on gastric secretion. J. Kaulbersz and R. Bilski. *Acta Physiol. Polon.* 5, No. 1, 57-70 (1954); *Excerpta Med.*, Sect. II, 8, 40 (1955).—To dogs provided with Heidenhain pouches or with Pavlov pouches and gastric fistulae a 5-10% soln. of desiccated bovine bile was administered intragastrically. The secretion of gastric juice and its acidity after histamine injection were increased. Atropine abolished this increase. From 5 to 10 ml. of thrice-condensed bile was injected intravenously into dogs. The secretion of gastric juice and its acidity after injection of histamine were partially inhibited. Atropine did not change this effect.

K. I. C.

z Zakładu Fizjologii Akademii
Medycznej w Krakowie, Kierownik

KAULBERSZ, Jerzy; BILSKI, Ryszard.

~~Effect of ACTH on gastric juice secretion following administration of histamine.~~ Acta physiol.polon. 6 no.3:293-298 1955.

Z Zakladu Fizjologii A.M. w Krakowie. Kierownik: prof. dr J. Kaulberes

(HISTAMINE, effects,

on gastric secretion in dogs, eff. of ACTH on reactivity)

(ACTH, effects,

on gastruc secretion after admin. of histamine in dogs)

(GASTRIC JUICE,

secretion, eff. of ACTH on reactivity to histamine)

KAULBERSZ, J.; OGINSKI, A.; BILSKI, R.; BUGAJSKI, J.

Effect of vagotomy on formation of experimental peptic ulcer in rats. Acta physiol. polon. 7 no.1:3-6 1956.

1. Z Zakladu Fizjologii A. M. w Krakowie Kierownik prof. dr. J. Kaulbersz.

(PEPTIC ULCER, experimental,
eff. of vagotomy on develop. of ulcer in rat. (Pol))
(NERVES, VAGUS, surgery,
vagotomy, eff. on develop. of exper. peptic ulcer.
(Pol))

BIISKI, R.; NOWAK, S.; KAULBERSZ, J.

Administration into the abdominal arteries of substances influencing gastric secretion. Acta physiol. polon. 8 no.3:286-287 1957.

1. Z Zakladu Fizjologii A. M. w Krakowie Kierownik: prof. dr J. Kaulbersz.
(GASTRIC JUICE,
secretion, stimulation by admin. into abdom. vessels of various substances (Pol))
(ABDOMEN, blood supply,
intra-arterial admin. of substances stimulating gastric secretion (Pol))

BILSKI, Ryszard

BILSKI, Ryszard: "The Role of Gravimetric Measurements in Science and in Technology," Przegląd Geodezyjny, Vol XIII, No 3, Warsaw, Mar 57, pp 98-101.

BIISKI, R.; RADECKI, T.; KAULBERSZ, J.

Experimental peptic ulcer in rats in lowered atmospheric pressure.
Acta physiol.polon. 11 no.5/6:661-663 '60.

1. Z Zakladu Fizjologii A.M. w Krakowie Kierownik: prof.dr
J.Kaulbersz.

(PEPTIC ULCER exper)
(ATMOSPHERIC PRESSURE)

KAULBERSZ, J.; BILSKI, R.

Differences in gastric secretion after the administration of gastrin into the peripheral and portal circulations. Acta physiol. polon. 11 no.5/6:765-767 '60.

1. Z Zakladu Fizjologii A.M. w Krakowie, Kierownik: prof.dr J.Kaulbersz.

(GASTROINTESTINAL HORMONES pharmacol)
(GASTRIC JUICE)
(PORTAL VEINS)

RADECKI, T.; BILSKI, R.; KAULBERSZ, J.

Excretions from biliary fistulae in rats in lowered atmospheric pressure. Acta physiol.polon. 11 no.5/6:867-868 '60.

1. Z Zakladu Fizjologii A.M. w Krakowie, Kierownik: prof.dr J.Kaulbersz.

(ATMOSPHERIC PRESSURE)
(BILIARY FISTULA exper)

SKOTNICKI, Stefan; BILSKI, Ryszard

Effect of butazolidin on the morphology and histochemistry of experimental inflammatory foci. Arch.immun.ter.dosw. 9 no.1: 25-35 '61.

1. Zaklad Histologii i Embriologii Akademii Medycznej w Lodzi.
(PHENYLBUTAZONE pharmacol) (INFLAMMATION exper)

GOLDSTEIN, Jan; DMOCHOWSKI, Jan; BILSKI, Ryszard

Experimental studies on acute necrosis of the pancreas. Polski
przegl. chir. 33 no ~~7/9~~ 966-967 '61.

1. Z I Kliniki Chirurgicznej AM w Lodzi Kierownik: prof. dr
M. Stefanowski z Zakladu Patologii Ogolnej AM w Lodzi Kierownik:
prof. dr F. Venulet z Zakladu Histologii AM w Lodzi Kierownik:
prof. dr S. Baginski z Zakladu Fizjologii AM w Lodzi Kierownik:
z. prof. dr J. Sysa.
(PANCREAS dis)

BILSKI, R.

New modification of the NADI reaction for the histochemical detection of cytochrome oxidase. Folia morphol 21 no.3:343-345 '62.

1. Institute of Histology and Embryology, Medical Academy, Lodz.
Head: Prof. Dr med. S. Baginski.

GOLDSTEIN, Jan; DMOCHOWSKI, Jan, BILSKI, Ryszard

A peculiar form of an acute pancreatic disease and its surgical therapy. Pol. przegl. chir 35 no.12: 1371-1376 D'63

1. Z I Kliniki Chirurgicznej AM w Lodzi; kierownik: prof.dr. M.Stefanowski.

*

KAULBERG, Jerzy; BILSKI, Ryszard

History of the department of physiology of the Jagiellonian
University and Academy of Medicine. Pol. tyg. lek. 19 no.18:
681-683 27 Ap '64.

BILSKI, Ryszard

Jedrzej Sniadecki (1768-1838) pioneer of modern resuscitation.
Pol. tyg. lek. 19 no.43:1659-1661 26 0 '64

1. Z Kliniki Chirurgicznej Instytutu Hematologii w Warszawie
(Kierownik Kliniki: prof. dr. med. W. Rudowski).

BILSKI, Ryszard

Histochemical structure of burn wounds. Pol. tyg. lek. 20 no.11:
381-383 15 Mr '65

1. Z Kliniki Chirurgicznej Instytutu Hematologii w Warszawie
(Kierownik Kliniki: prof. dr. med. W. Rudowski).

KAFUSCINSKI, K., BILSKI, R.

Poland

A small scale mechanisation of casting CO heater radiators in the Nieklan iron foundry.

SO: Foundry Journal, Poland, ~~42~~, Nov 1955, Unclassified.

BIŁSKI, Zygmunt, Mgr. inż.; DRONIEC, Stanisław, Mgr.

General conditions and prospective development of petrology in the Starachowice Basalt Fusion Enterprise. Sklar a keramika 14 no. 7:208 JI '64.

1. Basalt Fusion Enterprise, Starachowice, Poland.

127 AND 128 (2222)
 PREPARED AND PROPERTIES INDEX

CA

19

The influence of technical factors on the properties of
 frothed (reg masses. A. A. Pirogov and L. R. Blon.
Ukrain. Nauch.-Issledovsk. Inst. Ognenporov [Kiev]
para No. 44, 109-13 (1938); *Chem. Zvest.* 1940, 1, 1887.—
 In continuing earlier work (cf. C. A. 33, 5142) further
 exptl. results are reported on the manuf. of refractories
 from frothed reg. Only clay of good plasticity can be
 used. The products are refractory at 1650°, have a d. of
 0.80-0.85 g. per cc. and a resistance to compression of
 20-30 kg./sq. cm. M. G. Moore

127 AND 128 (2222)
 PREPARED AND PROPERTIES INDEX

127 AND 128 (2222)
 PREPARED AND PROPERTIES INDEX

254. PRODUCTION OF FROTHED GROGGED HEAT INSULATING MATERIALS AT THE PODOL WORKS.—A. A. Pirogov and L. R. Milson (Ugansky, 6, 1956, 1956). The manufacture of insulating bricks by mixing prepared foam with a highly grogged clay is applied to full-scale production. Laboratory work forms the basis of the paper. The work trials investigate the following factors: (a) the properties of the clay used; (b) type of clay; (c) grog grading; (d) action of acid or gypsum in stabilizing the foam; (e) the use of porous grog. The manufacture of bricks up to 16-in. cube is described; special attention is paid to drying problems. Data on density of foam-clay mixtures, effect of sawdust addition, drying and firing shrinkage, and the properties of the fired bricks are presented. The trials culminated in the production of a batch of 800 bricks.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM SYNDICATE

FROM BOWLING

521131 ONE ONLY 131

1ST AND 2ND PARTS		3RD AND 4TH PARTS	
PROCESSING AND PROPERTIES INDEX			
C		Refractory Kaolin lightweight brick. A. A. PIROGOV AND L. R. BILSON, <i>Ogneupory</i>, 9, 144-48 (1941); <i>Chem. Zentr.</i>, 1942, 1, p. 2574; <i>Chem. Abstracts</i>, 37, 5200 (1943). The authors report on the preparation of lightweight refractory materials using Vladimir kaolins. To these were added 0.00% sulfite cellulose extract as binder, 0.5% talophonium soap, and 0.8% glue as foaming agent to make test specimens. After double burning, these specimens showed properties which fitted them for use as insulating materials for industrial furnaces.	
ALB-SLA METALLURGICAL LITERATURE CLASSIFICATION			
SEARCHED *4		RECORDS WITH ONLY ONE	
SEARCHED *4		RECORDS WITH ONLY ONE	

Distr: 4E2c

Accelerated corrosion tests of steels protected by chemically passivated electrolytic layers of zinc. Tadeusz Bil-
stock (Inst. Mech. Precision, Warsaw). ~~Corrosion of~~
steel corrosion 6, 60-65 (1958). -- The corrosion resistance was
compared of nonpassivated and chemically-passivated zinc
layers deposited electrolytically in cyanide baths. The cor-
rosion resistance of brilliant and mat deposits was compared.
A compn. of the passivating soln. inducing max. corrosion
resistance was sought. The results of different corrosion
tests were evaluated. The possibility of a correlation be-
tween the results of accelerated corrosion tests and the re-
sults of atm. corrosion was investigated. The best passivat-
ing process was sought. Five different accelerated corro-
sion tests in 15 different solns. were performed on electrolyt-
ically deposited Zn layers. Chem. passivation retards the
appearance of "white rust" on Zn and the corrosion of steel.
N. Goldowski.

3
1- mjc - mm
1

RUMANIA/Cultivated Plants - Commercial. Oil-Bearing. Sugar-Bearing.

M

Abs Jour : Ref Zhur Biol., No 18, 1958, 82419

Author : Bilteanu, Gh.

Inst : -

Title : Experiments on the Determination of the Effect of the Variation in the Soil Moisture Content on the Progress of Separate Stages of Cotton Development.

Orig Pub : Probl. agric., 1956, 8, No 5, 27-36

Abstract : A lowered soil moisture content prior to the appearance of the buds did not retard the growth of the plants and did not produce a negative influence on the yield. Lowered moisture during the period of the appearance of the buds and before blossoming produced a strong negative influence on the growth of the plants. Lowered moisture content during the period of blossoming led to a considerable lowering in the yield. In those cases when the

Card 1/2

- 74 -

RUMANIA/Cultivated Plants- Commercial: Oil-Bearing. Sugar-Bearing.

M

Abs Jour : Ref Zhur Biol., No 18, 1958, 82419

soil moisture content became lower at the time of the appearance of the buds and higher at the time of blossoming, the yield of cotton wool practically did not change in comparison with the plants grown from the very beginning with the higher soil moisture content. Higher moisture content in the period of boll opening led to a decrease in yield. -- V.F. Neponiluyev

Card 2/2

RUMANIA/Cultivated Plants - Commercial. Oil-Bearing.
Sugar-Bearing.

M-5

Abs Jour : Ref Zhur - Biol., No 7, 1958, 29875

Author : Bilteanu, Gh.

Inst

Title : The Effect of Fertilization and Soil Moisture on the
Cotton Yield.

Orig Pub : Probl. agric., 1957, 9, No 5, 45-55 (Rumanian; res. Russ.,
French)

Abstract : Results of experiments made in 1953-1954 to study the
effects of various doses of fertilizers and different
irrigation rates. With high soil fertility the most
effective action was gotten from high doses of fertilizers.

Card 1/1

BILTEANU, Gheorghe; MILITESCU, L.

Behavior of different oat plants to the relations between the
nutritive elements of nitrogen, phosphorus, potassium. Studi
cerc biol veget 12 no.2:217-237 '60. (EEAI 9:11)
(Oats) (Nitrogen) (Phosphorus)
(Potassium)

BILTEANU, Gh., candidat in stiinta agricole

Five thousand kg. shelled corn per hectare without irrigation.
St si Teh Buc 14 no.1:12-13 Ja '62.

BILTEANU, Gh.; BRAD, I.; RADA, Voica

Influence of mineral nutrition on the catalase activity in sunflower and maize. Studii cerc biol veget 14 no.3:287-297 '62.

1. Comunicare prezentata de N. Salageanu, membru corespondent al Academiei R.P.R., membru al Comitetului de redactie si redactor responsabil, "Studii si cercetari de biologie; Seria biologie vegetala."

~~ROMANIA~~ **BILTIO, A.**
ROMANIA/Chemical Technology. Chemical Products and Their Application. Fermentation Industry.

H-27

Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 15956.

Author : Biltiu Aurica, Anton Rosalia

Inst :

Title : Colorimetric Determination of pH at the Timiscara Brewery

Orig Pub: Rev. ind. aliment. prod. vegetale, 1957, No 5, 31-32

Abstract: Description of determination of the pH of beer by colorimetric method (of Michaelis). For this purpose use is made of 0.01 N solution of $K_2Cr_2O_7$ and 0.02 N $K_2Cr_2O_7$ prepared with the use of standard solutions of para-dinitrophenol (0.1 g/100 ml water), gamma-dinitrophenol (0.1 g/200 ml water) and alpha-dinitrophenol (0.1 g/400 ml water); range of pH determination 2.8-7.0. Potentiometric determinations of the pH of the prepared standard solutions of gamma-di-

Card : 1/2

ROMANIA/Chemical Technology. Chemical Products and Their Application. Fermentation Industry.
 APPROVED FOR RELEASE: 06/08/2000 CIA-RDP86-00513R000205320004-5

Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 15956.

nitrophenol and para-nitrophenol showed a difference of 0.15 and 0.12, respectively, while a determination of the pH of beer with gamma-dinitrophenol and with a potentiometer showed differences within the limits from 0.25 to -0.03.

Card : 2/2

BILTIU, A

TECHNOLOGY

PERIODICAL: REVISTA INDUSTRIEL ALIMENTARE, PRODUSE VEGETALE No. 7/8, 1958

BILTIU, A Increased germinating capacity of barley. p. 38

Monthly List of East European Accessions (EEAI) I.C Vol. 8, No. 4
April 1959, Unclass

ROMANIA/Chemical Technology - Fermentation Industry.

H.

Abs Jour : Ref Zhur - Khimiya, No 16, 1958, 55475

Author : Biltsiu

Inst :

Title : Purification of Yeast With Mineral Acids.

Orig Pub : Rev. ind. aliment. prod. vegetale, 1957, No 2, 26-28

Abstract : A brief description is given for methods of washing yeast with water, 1% sulfuric acid (0.25 - 0.5 l. per l. of yeast, followed by neutralization with sodium bicarbonate), and HCl (pH 3.2), followed by washing with water until the reaction is neutral.

Card 1/1

15(2)

AUTHORS:

Krasnovskiy, O. V., Bil'tyukova, E. P., Yesechko, A. M.

SOV/72-59-4-6/21

TITLE:

Complexometric Determination of Calcium Oxide and Magnesium Oxide in Vertically Drawn Glass (Kompleksometricheskoye opredeleniye okisi kal'tsiya i okisi magniya v stekle vertikal'nogo vytyagivaniya)

PERIODICAL:

Steklo i keramika, 1959, Nr 4, pp 22 - 25 (USSR)

ABSTRACT:

The complexometric method of titration makes it possible to simplify considerably the accelerated glass analysis (see paper by O. V. Krasnovskiy, Ref 1). The determinations of calcium and magnesium may be carried out according to two methods as may be seen from the papers by K. B. Yatsimirskiy on the one hand and by T. B. Styunkel' and Ye. M. Yaki-mets on the other (Refs 2 and 3). In order to check the complexometric methods of determination comparative investigations with synthetic solutions were carried out, the salt content of which corresponded to those of the solutions in the glass analysis. In table 1 the experimental results are given. Later, the same experiments were carried out with samples of industrial sheet glass which was drawn vertically.

Card 1/2

Complexometric Determination of Calcium Oxide and
Magnesium Oxide in Vertically Drawn Glass

SOV/72-59-4-6/21

The results of these analyses are listed in table 2. In conclusion, 2 formulae are mentioned according to which the per cent content of CaO and MgO in glass may be computed. The necessary specific reagents and their preparation are shown in the "Instructions for the Determination of Water Hardness by Means of the Complexometric Method" (MKhP, SSSR, 1957, pp 1-5). There are 2 tables and 3 Soviet references.

ASSOCIATION: Institut stekla (Glass Institute)

Card 2/2

ACCESSION NR: AR4015655

S/0081/63/000/021/0097/0097

SOURCE: RZh. Khimiya, Abs. 21682

AUTHOR: Bil'tyukova, E. P.

TITLE: A new volumetric procedure for determining germanium

CITED SOURCE: Steklo. Inform. materialy* Gos. n.-i. In-ta stekla, no. 1 (118), 1963, 11-15

TOPIC TAGS: germanium, germanium determination, volumetric germanium determination, volumetric titration

ABSTRACT: A titrimetric method was developed for determining relatively large amounts of germanium. The latter is deposited in the form of K_2GeF_6 , the deposit is separated, the resultant salt is subjected to hydrolysis ($K_2GeF_6 + 3H_2O = H_2GeO_3 + 4HF + 2KF$) and the HF evolved is titrated with a solution of NaOH. Deposition of the K_2GeF_6 should be carried out in a solution with 10% KF and 2.5 N HCl, since the solubility of the precipitate increases at lower or higher concentrations of KF. The error in assays of 20-160 mg of GeO_2 was 0.02%, while the reproducibility was never poorer than $\pm 0.5\%$. A. Zozulya

Card 1/1 DATE ACQ: 09Dec63

SUB CODE: CH

ENCL: 00

~~BIL'TYUKOVA, E.P., inzh.; KOLBASNIKOVA, A.I., kand.tekhn.nauk; SAVITSKIY, M.R.,~~
~~kand.tekhn.nauk~~

Conference of workers of the department of technical control and
factory laboratories in the manufacture of structural and technical
glass. Stek. i ker. 22 no.3:47 Mr '65.

(MIRA 18:10)

BILUKHA, M.T.

Daily accounting for and economic analysis of the production costs in
the shoe industry enterprises of the Ukraine. Leh. prom. no.1:78-80
Ja-Mr '65. (MIRA 18:4)

BILUKHA, M.T., kand.ekonom.nauk

Advanced methods of accounting and analysis for the clothing industry.
Ish.prom, no.2:80-82 Ap-Je '65.

(MIRA 18:10)

BILUKHA, M.T., kand. ekonom. nauk

Improve the accounting and economic analysis in the enterprises of
the baking industry. Khar. prom. no.2:77-80 Ap-Je '65. (MIRA 18:5)

BILUKHA, Nikolay Timofeyevich; NOVIK, O.M., red.; MATUSEVICH, S.M.
[Matusevych, S.M.], tekhn. red.

[Accounting in automotive transportation units] Oblik v avto-
transportnykh hospodarstvakh. Kyiv, Dershtekhvydav URSR, 1961.
239 p. (MIRA 16:1)
(Transportation, Automotive Accounting)

ACC NR: AP5027304

SOURCE CODE: UR/0241/65/010/010/0055/0056

AUTHOR: Bilush, S. G.; Goncharenko, Ye. N.; Kudryashov, Yu. B.

ORG: none

TITLE: Indirect effect of histamine formation in radiation sickness

SOURCE: Meditsinskaya radiologiya, v. 10, no. 10, 1965, 55-56

TOPIC TAGS: experiment animal, radiation sickness, radiation biologic effect, histamine, systemic toxin

ABSTRACT: The formation of toxic lipid substances and histamine and their role and relationship in acute radiation sickness were studied in white rats and rabbits subjected to a single 800 rad irradiation. Toxic lipid substances (called natural radiomimetic, NR) were isolated from the liver after 3 days. Histamine was determined in the tissues. The NR were injected intraperitoneally into rats at a 0.7-0.9 g/150 g animal dose and NR activity was determined by a hemolytic test. In further tests NR was found not only in the liver but also in other radiosensitive organs. NR activity increased with dose and time after irradiation and caused changes in free histamine content in skin, kidneys and liver. These changes had a phase-like character with considerable histamine

Cord 1/2

UDC: 617-001.28-008.939.65

L 10622-65

ACC NR: AP5027304

increase after NR injection and terminal reduction to below normal, that is, a 2 fold skin histamine increase which declined terminally to 1/3 of normal value. Comparison of the effect of gamma irradiation and that of NR substances showed considerable similarity in the dynamics of free tissue histamine and confirms an assumption on the radiometric effect of oxidation products of unsaturated fatty acids which depress histamine-binding in the tissue and thus lead indirectly to histamine accumulation. Orig art. has: 2 tables. 0

SUB CODE: 06 / SUBM DATE: 03Mar65/ ORIG REF: 006/ OTH REF: 000

HW
Cord 2/2

BILUSHI, S.G.; GONCHARENKO, Ye.N.; KUDRYASHOV, Yu.B.

Effect of radiometric agent, ionizing radiation and vibration on the change in histamine level in the tissues of rats. Nauch. dokl. vys. shkoly; biol. nauki no.1:87-89 '66.

(MIRA 19:1)

1. Rekomendovana kafedroy biofiziki Moskovskogo gosudarstvennogo universiteta. Submitted May 6, 1965.

POGLAZOV, B.F., BILUSHI, V., BAYEV, A.A.

Sulfhydryl groups of myosin adenosinetriphosphatase [with summary in English]. Biokhimiia 23 no.2:269-284 Mr-Apr '58 (MIRA 11:6)

1. Institut biokhimiia im. A.N. Bakha AN SSSR, Moskva.

(ADENYLPIROPHOSPHATASE,

activity of myosin, relation to sulfhydryl group content (Rus))

(MUSCLE PROTEINS,

myosin sulfhydryl group content, determ. & reaction with ATP (Rus))

(SULPHYDRYL COMPOUNDS, determination

sulfhydryl group content of myosin, relation to ATPase activity (Rus))

BILUSHI, V.; KOROGODIN, V.I.

Comparative analysis of the restoration of diploid yeasts following alpha and gamma irradiation. Dokl. AN SSSR 138 no.5:1208-1211 Je '61. (MIRA 14:6)

1. Institut radiatsionnoy i fiziko-khimicheskoy biologii AN SSSR i Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova. Predstavleno akademikom V.A.Engel'gardtom.

(YEAST) (ALPHA RAYS—PHYSIOLOGICAL EFFECT)

(GAMMA RAYS—PHYSIOLOGICAL EFFECT)

Blush, V

Reactivation of Yeast Cells of Various Ploidy Irradiated with Alpha Particles

4

V. I. Kogorodn, V. Blush, L. I. Markova
and Ya. L. Spetsman

The possibility of reactivation of radiation injury caused by polonium alpha-particles was investigated on ten yeast strains of various ploidy (from one to six chromosome sets). The survival curves for haploid cells had an exponential form, whereas the survival curves for cells of higher ploidy had a sigmoid form.

When yeast cells with two or more genomes were incubated after irradiation at 30°C in a nutrient medium, the survival rate increased substantially. The reactivation processes were virtually fully completed within 24 hr. The radiation injury to haploid cells was irreversible, just as in the case of γ -irradiation. In the case of one diploid strain (Megri-139-B) the degree of reversibility of a radiation injury caused by alpha particles was the same as the degree of reversibility of the lethal effects of γ -irradiation (about 60% of the given dose). The survival curve of reactivated cells was less curved.

The authors interpret their results on the basis of the hit theory. The lethal effect of alpha radiation on yeast with two or more genomes is caused by injury to several (in each cell) spatially separated elementary biological units, comparable in size with protein molecules. The injury to a large proportion of such elementary structures is potentially reversible.

Department of Biophysics, Faculty of Soil Biology of the Moscow State University and Biophysical Institute of the Academy of Sciences of the USSR, Moscow

(Session continued on next page)

18

report presented at the 2nd Intl. Congress of Radiation Research,
Harrogate/Yorkshire, Ot. Brit. 5-11 Aug 1962

S/205/63/003/001/009/029
EO28/E185

AUTHORS: Korogodin V.I., Bilushi V., Markova L.I., and Shekhtman Ya.L.

TITLE: Restoration of the viability of yeast cells of varying ploidy after irradiation with α -particles

PERIODICAL: Radiobiologiya, v.3, no.1, 1963, 39-44

TEXT: The cells of 12 strains of yeast of varying ploidy were irradiated in thin layers with α -particles and were then tested for viability by plating out on wort-agar. The sources of radiation used were ^{239}Pu , giving a dose of 50 rad/min at a distance of 13 mm from the surface, and ^{210}Po giving at 8 mm a dose of 10 200 rad/min. Irradiation was continued for periods ranging from a few minutes to several hours, and was carried out at 1 - 2 °C and at room temperature. The results showed that the LD_{50} was dependent on ploidy, the haploid strain being the least and the diploid strain the most radioresistant. With the higher ploidy up to 6 radioresistance declined in one set of strains (Mortimer), but increased in a set obtained from another source
Card 1/2

Restoration of the viability of ...

S/205/63/003/001/009/029
E028/E185

(Ephrussi). Recovery from the effect of irradiation was observed with strains of ploidy 2 or greater, but not with haploid strains. Thus, 26% of the cells of a diploid strain were viable immediately after irradiation in a dose of 16.2 krad, but after maintenance on plain agar this proportion rose to 76% after 24 hours and 93% after 48 hours. It was also shown that the restoration does not depend on the kind of radiation (X, α or γ particles) producing the injuries. There are 4 figures and 3 tables.

ASSOCIATION: Institut meditsinskoy radiologii AMN SSSR (Institute of Medical Radiology of the Academy of Medical Sciences USSR); OBNINSK; Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova (Moscow State University imeni M.V. Lomonosov); Institut biologicheskoy fiziki AN SSSR, Moskva (Institute of Biophysics AS USSR, Moscow)

SUBMITTED: March 30, 1962

Card 2/2

BILTIU, Aurica, ing.

From the activity of the laboratory for road tests of the
Road and Bridge Regional Direction- Timisoara. Rev transport
9 no. 3:125-126 Mr '62.

ACCESSION NR: AP4025105

S/0020/64/155/003/0503/0505

AUTHOR: Biluta, P. A.

TITLE: Some extreme problems in a set of mappings which are quasi-conformal on the average

SOURCE: AN SSSR. Doklady*, v. 155, no. 3, 1964, 503-505

TOPIC TAGS: topology, conformal mapping, quasi conformal mapping, mathematical analysis, continuously differentiable function

ABSTRACT: The author examines the mapping of $w = f(z)$ of a circle $|z| \leq 1$ onto a circle $|w| \leq 1$. Let $\Phi(x)$, $1 \leq x \leq \infty$ be a continuously differentiable function, and $\Phi'(x) > 0$, $F(w_1, w_2, \dots, w_n)$ a real function of the variables $w_k = f(z_k) = u_k + iv_k$, continuously differentiable with respect to u_k and v_k . In the class of quasi-conformal mappings of the circle $|z| \leq 1$ onto the circle $|w| \leq 1$, $w(0) = 0$, $w(1) = 1$ with the restricted integral

$$J = \iint_{|z| \leq 1} \Phi(P) d\sigma_z \leq M = \text{const.} < \infty$$

the problem is to find a mapping for which the function F assumes the maximum value. The final form of the solution is

Card

1/3

ACCESSION NR: AP4025105

$$\iint_{|z| \leq 1} \Phi(p) d\sigma_z = M, \quad \theta(w) = -\frac{1}{2} \arg A(w)$$

In the set of quasi-conformal mappings of a ring $r \leq |z| \leq 1$ onto a ring $p^* \leq |w| \leq 1$, $r < p \leq p^* < 1$, the problem is to find a reflection for which the integral $\iint_{p \leq |z| \leq 1} p(z) d\sigma_z$ assumes a minimum value. This problem can also be solved by the variation method. By variation of the ring $r \leq |z| \leq 1$ we shall understand that the function $w = f(z)$ mapping it onto some ring $r' \leq |w| \leq 1$, is normalized and such that the reflection realizing this is conformal exterior to some circle $K(\xi, \tau)$: $|z - \xi| \leq \tau$ and has an assigned constant characteristic h within it. Varying the ring in the w plane, we find that the extremum will be the mapping on the ring $p \leq |w| \leq 1$, and the characteristic of the inverse mapping will satisfy the condition

$$\theta(w) = \arg w + \pi/2, \quad p J_{\omega} |\omega^*| = c = \text{const.}$$

In a set of quasi-conformal mappings of the ring $r \leq |z| \leq 1$ onto the ring $p^* \leq |w| \leq 1$, $0 < p^* < r$, the problem is to find a mapping for which the integral $\iint_{r \leq |z| \leq 1} p(z) d\sigma_z$ assumes a minimum value. Solving this

problem in the subset of q - quasi-conformal mappings, we find that the extremum will be a mapping of the form

Card

2/3

ACCESSION NR: AP4025105

$$w = \begin{cases} p \left(\frac{|z|}{r} \right)^q e^{i(q+\pi) \arg(z)}, & r < |z| < r^{\frac{q}{q-1}} p^{\frac{1}{1-q}}, \\ ze^{i\alpha}, & r^{\frac{q}{q-1}} p^{\frac{1}{1-q}} < |z| < 1. \end{cases}$$

Orig. art. has: no graphics

ASSOCIATION: Institut matematiki s vy*chislitel'nyy tsentrom Sibirskogo otdeleniya AN SSSR (Institute of Mathematics with Computer Center, Siberian Division, AN SSSR)

SUBMITTED: 25Nov63

DATE ACQ: 17Apr64

ENCL: 00

SUB CODE: MA

NR REF SOV: 001

OTHER: 000

Card

3/3

L 21012-66 EWI(d)/T LJP(e)

ACCESSION NR: AP5023879

UR/0199/65/006/004/0717/0726
517.53

AUTHOR: Biluta, P. A.

TITLE: Some extremal problems for mappings which are quasi-conformal in the mean

SOURCE: Sibirskiy matematicheskiy zhurnal, v. 6, no. 4, 1965, 717-726

TOPIC TAGS: conformal mapping, complex function

ABSTRACT: The author states and solves three problems concerning quasi-conformal mappings "in the mean," that is, quasi-conformal mappings for which an integral $\iint \Phi(p) d\sigma$ remains bounded. The

solution is based on the variational method of P. P. Belinskiy. Problem 1 is to find, from among all quasi-conformal mappings of the unit disk onto the unit disk, which are "in the mean" relative to some continuously differentiable Φ (such that $\Phi'(x) > 0, x \geq 1$), that one which maximizes a given real function $F(w_1, w_2, \dots, w_n)$, at given points z_k ($k = 1, 2, \dots, n$), ($w_k = f(z_k) = u_k + i v_k$; u_k, v_k continuously differentiable). The remaining two problems

Card 1/2

L 21012-66

ACCESSION NR: AP5023879

involve quasi-conformal mappings of an annulus onto an annulus, minimizing an integral. One conclusion is to the effect that if the annulus $r \leq |z| \leq 1$ is mapped quasi-conformally onto the annulus $\rho \leq |w| \leq 1$, in such a way that

$$\int_{r \leq |z| \leq 1} p(z) d\sigma_z \leq M$$

then

$$\rho > re^{\frac{n(1-r^n)-M}{n^2}}$$

Orig. art. has: 18 formulas.

ASSOCIATION: None.

SUBMITTED: 06Dec63

ENCL: 00

SUB CODE: MA

NR REF SOV: 002

OTHER: 000

Card 2/2

COUNTRY	: CZECHOSLOVAKIA	II
CATEGORY	: Chemical Technology. Chemical Products and Their Uses. Part 4. Synthetic Polymers. Plastics	
ABS. JOUR.	: RZKhim., No. 1 1960, No. 3016	
AUTHOR	: Bilwachs, M.; Zilvar, V.	
INST.	: -	
TITLE	: Method of Qualitative Control of the Silon Mass	
ORIG. PUB.	: Chem. promysl, 1958, 8, No 9, 497-500	
ABSTRACT	: It was established that various productional batches of the silon mass of Czechoslovak manufacture considerably differ as to their qualitative indicators (the average mol. wt., content of low-molecular fraction and moisture). In establishing the degree of nonhomogeneity, the relative viscosity of polyamide solutions was determined in 96.4% sulfuric acid with the aid of the Ubbelode viscosimeter.	
CARD:	1/3	

COUNTRY :
CATEGORY :

II

ABS. JOUR. : RZKhim., No. 1 1960, No. 3016

AUTHOR :
INST. :
TITLE :

ORIG. PUB. :

ABSTRACT : of tests and analyses ensuring the accuracy of
cont'd qualitative control was established on the
basis of statistical analysis. The authors
consider it expedient to organize the produc-
tion of silon with a very small content of
the low-molecular fraction and an average
degree of polymerization of ~300; such poly-
amide may be successfully used for the manu-
facture of technical products.-- L. Sedov

CARD: 3/3

BILY, Antonin, MUDr.

Should a city regional physician service also workers of small industrial plants? Cesk. zdravot. 4 no.5:297-298 May 56.

1. Vedouci zdravotnickeho odboru rady ONV Praha 2.

(INDUSTRIAL HYGIENE,

serv. of regional city physicians for small indust.
plants in Czech. (Cz))

(PUBLIC HEALTH,
same)

BILY, B.

CSSR

2

BILY, B., SOSKA J.

1st Stomatological Clinic of the Medical faculty of the J.E. Purkyně
University, Brno (I. stomatologická klinika lékařské fakulty UJEP),
director: Prof. Dr M. Filipínský, CSAV Biophysical Institute (CSAV
Biofyzikální ústav), Brno, director: academician P. Mareš

Prague, Československá stomatologie, No 1, 1963, pp 25-35

"Effect of X-irradiation on the Rodent Tooth of the Rat"

BILY, B.

Changes in the periodontium of the upper incisor of the rat following x-ray irradiation. Cesk. stomat. 65 no.4:250-255 J1 '65.

1. I. stomatologicka klinika lekarske fakulty University J.E. Purkyne v Brne (prednosta prof. dr. M. Filipinsky).

BILY, Boris, MUDr, sek. lekar

Notes on dentinogenesis imperfecta. Cesk. stomat. No.5:191-202

1. Stomatologicke oddeleni KEM v Brno. Prednosta prim. Dr. J.Klimeš
(DENTIN, abnormalities
dentinogenesis imperfecta, heredity)

BILY, Boris

← Congenital anomalies of dental tissues in children. Cesk. pediat. 16
no. 7/8: 732-737 J1-Ag '61.

1. Stomatologicka klinika, Brno, vedouci katedry prof. dr. Milon
Filipinsky.

(TEETH abnormalities)

BILY, D.

Neurotic abulic syndromes conditioned by corticovisceral pathologic dynamics. Cas. lek. cesk. 90 no. 44:1293-1297 2 Nov 1951. (CLML 21:2)

1. Of the Psychiatric Clinic (Head--Prof. J. Hadlik, M.D.) of Palacky University, Olomouc.

BILY, D.

"Adherence to the Ordinances of the Party and the Government Concerning
Psychiatric Health Affairs."

SO: Neurol. a psych., Prague, Vol. 16 (1953), No. 4, pp. 223-226.

BILY, Dusan, Dr.

Fulfillment of the party and government directives in psychiatry.
Nour. psychiat. cesk. 17 no.4:194 Aug 54.

(PSYCHIATRY

in Czech., following party and government
directives)

BILY, Dusan, MUDr; RUZICKOVA, Radka, MUDr

Evaluation of the effects of sleep therapy according to L.B. Gakkelova's method of aimed verbal reactions. Neur. psychiat. česk. 17 no.4:195-198 Aug 54.

1. Z psychiatrické kliniky FV v Olomouci. Prednosta prof. MUDr Josef Hadlik

(NEUROSES, therapy

sleep ther., L.B.Gakkelova's method of aimed verbal reactions)

(SLEEP, ther. use

neuroses, L.B.Gakkelova's method of aimed verbal reactions)

BILY, Dusan, Dr. As.

Complex experimental investigation of the higher nervous function
in man. Neur. psychiat. cesk. 17 no.4:225-228 Aug 54.

1. Z laboratore pro vyskum vyssi nervove cinnosti cloveka
neurologicke kliniky PU v Olomouci. Prednosta prof. Dr. Jaromir
Hrbek.

(CENTRAL NERVOUS SYSTEM, function test
typing, of higher nervous funct.)

(REFLEX, CONDITIONED
in higher nervous funct. typing)

DUSAN BILY

Occupational problems of remission in schizophrenics treated with autonomic drugs. Cesk. psychiat. 53 no.6:377-381 Dec 57.

1. Psychiatricka lecebna v Havlickove Brode.

(SCHIZOPHRENIA, ther.

chlorpromazine & reserpine, occup. problems of remission(Cz))

(CHLORPROMAZINE, ther. use

schizophrenia, occup. problems of remission (Cz))

(RESERPINE, ther. use

same)

(INDUSTRY AND OCCUPATIONS

occup. of schizophrenics after cure with chlorpromazine
& reserpine (Cz))

RUZICKOVA,R.; VYHNANKOVA,M.; BILY,D.

Clinical and experimental examination of chronic schizophrenics with speech disorders. Activ. nerv. sup. 6 no.1:77-78
1964.

*

BILY, D.

Mental epidemiological study in industrial plants. Acta nerv. sup.
(Praha) 6 no.4:409 '64.

1. Psychiatricka lecebna, Havlickuv Brod.

RUZICKOVA, R.; BILY, D.; VYHNANKOVA, M.

Clinical and experimental examination of patients with chronic schizophrenia and speech disorders. Pt.1. Cesk. psychiat. 61 no.5:298-302 O '65.

1. Laborator vyssi nervove cinnosti lekarske fakulty Palackeho University v Olomouci a Psychiatricka lecebna v Havlickove Brode.

ROVED FOR RELEASE: 06/08/2000

CIA-RDP86-00513R000205320004-5"

CZECHOSLOVAKIA

RUZICKOVA, R.; BILY, D.; VYHNANKOVA, M.; Laboratory of Higher Nervous Activity, Medical Faculty, Palacky University (Laborator Vyssi Nervove Cinnosti Lekarske Fakulty PU), Olomouc; Psychiatric Hospital (Psychiatricka Lecebna), Havlickuv Brod.

"Clinical and Experimental Examination of Patients with Chronic Schizophrenia and Speech Disturbances. II. Experimental Part."

Prague, Ceskoslovenska Psychiatrie, Vol 62, No 6, Dec 66, pp 374 - 385

Abstract [Authors' English summary modified]: A group of 20 schizophrenics was compared to a group of 20 aphasics by means of Kraepelin's definition of schizophasia. It appeared that schizophasia was the terminal stage of schizophrenia, most frequently its paranoid form. The first attack is usually very sudden with speech incoherence and recurring catatonic traits. The importance of the premorbid level of intelligence is evaluated. Substantial differences between the schizophrenics and the aphasics were found in all criteria used, such as language and association experiments. The schizophrenic group did not show disturbed phatic functions. 8 Tables. 2 Western. 6 Czech.

CZECHOSLOVAKIA

RUZICKOVA, R.; ~~BILY, D.~~; KONIAS, V.; SOUCEK, Z.; Psychiatric Hospital
(Psychiatricka Lecebna), Havlickuv Brod.

"The Effect of Psilocybin in Chronic Schizophrenia."

Prague, Activitas Nervosa Superior, Vol 8, No 2, Jun 66, pp 222-223

Abstract: The effect of psilocybin was tested on 30 paranoid schizophrenics who had been sick for at least 15 years. In chronic schizophrenics psilocybin effect was substantially smaller than in normal subjects. Of the clinical pattern of psilocybin intoxication in healthy subjects, only involuntary laughter and euphoria were noticed in the patients. Optical phenomena, which are the most characteristic in healthy people, appeared only in half of the patients. Negativism alone was more frequent than in normal subjects. No references. Submitted at the 4th Conf. of Exper. and Clin. Study of Higher Nerv. Functions, at Mar. Lazne, 12-15 Oct 65. Article is in English.

BILY, Jiri; STRANSKA, Tat'ana

Dermoloxly as technic of determination of higher nervous activity.
Cesk. psychiat. 53 no.5:348-352 Oct 57.

1. Psychiatricka klinika VIA v Hradci Kralove.

(CENTRAL NERVOUS SYSTEM, physiol.

determ. of funct. with dermoloxly (Cz))

(SENSATION

dermoloxly in determ. of funct. of CNS (Cz))

BILY, Jiri; VOKROUHLY, Lubor

Contribution to the mechanism of so-called animal hypnosis. Sborn.
ved. prac. lek. fak. Karlov. univ. (Hrad. Kral.) 4 no.2 su;;1.:159-
164 '61.

1. Psychiatricka klinika; prednosta doc. MUDr. V. Pelikan Katedra
patologicke fyziologie; prednosta prof. Dr. Sc. MUDr. R. Vavra.

(CATALEPSY exper)

CZECHOSLOVAKIA

J. BILY, Psychiatric Clinic of Medical Faculty of Charles University
(Psychiatricka klinika lebarske fakulty KU [Karlova University]; Head
(prednosta) Docent Dr. V. PELIKAN, CSc, Hradec Kralove.

"Effect of Some Psychopharmacologic Drugs on Paroxysmal Inhibition."

Prague, Activitas Nervosa Superior, Vol 3, No 1, Jan 63; pp 35-56.

Abstract: "Paroxysmal Inhibition" is an animal experimental model for
catathonic stupor, previously reported by SVORAD and not described
here in detail; studies in rabbits with reserpine, chlorpromazine and
amphetamine: the first 2 drugs prolonged, the 3rd shortened the
duration of the paroxysmal inhibition, with statistically significant
difference. Graph; 3 Czech and 3 Western references.

BILY, Jiri

The effect of methylphenidate and chlorprothixene on paroxysmal inhibition. Sborn. ved. prac. lek. fak. Karlov. Univ. 9 no.1:289-294 '64.

1. Psychiatricka klinika (prednosta: doc. MUDr. V.Pelikan, CSc.)
Karlovy University v Hradci Kralove.

L 29479-66

ACC NR: AP6019952

SOURCE CODE: CZ/0079/65/007/003/0235/0236

AUTHOR: Bily, J.

20
B

ORG: Psychiatric Clinic, Medical Faculty, Charles University, Hradec Kralove
(Psychiatricka klinika lekarske fakulty KU)

TITLE: Effect of methylphenidate and chlorprothixene in cataleptic states

SOURCE: Activitas nervosa superior, v. 7, no. 3, 1965, 235-236

TOPIC TAGS: nervous system disease, drug treatment, pharmacology

ABSTRACT: The mechanism of the catatonic stupor was investigated. The influence of the two drugs mentioned on the extension of cataleptic conditions was studied. Only 5 patients could be used in the experiments because of the rare occurrence of the disease. Both drugs were administered in the form of an intramuscular injection; both increased the extension by about 60%. [SPRS]

SUB CODE: 06/ SUBM DATE: 17Jan65/ ORIG REF: 003

Card 1/1 LS

Bily, J.

The Markov chain leading to the convolutions of binomial distributions and the cumulative binomial distributions, p. 327.

CASOPIS PRO PESTOVANI MATEMATIKY, Praha, Czechoslovakia. Vol. 84, no. 3, Aug. 1959.

Monthly List of East European Accessions, (EEAI) LC, Vol. 8, no. 10, 1959. -Oct.
Uncl.

Distr: hE2d

Bill, Josef. Measurement of the lifetime of equipment
under operational conditions. Pokroky Mat. Fys. Astr.
2 (1957), 14-18. (Czech)

The author describes a method of comparing the durations of life of different types of equipment serving the same purpose without keeping records of individual life lengths; these methods have been considered by Goodman [J. Amer. Statist. Assoc. 48 (1953), 503-530]. The author shows, for the case of three types, several replacement policies which are generalizations of policies consisting of the replacement of failed items by items of another type (so called "switch" policies) and of the policy involving a random choice of the type which is to replace the failed item. Various procedures are compared and analogous procedures for more than three types are indicated. A constant intensity of removal and a continuous replacement is assumed throughout (an item is replaced immediately after it has failed).

J. Janko (Prague)

2
1-Pg
1

BILY, Jaroslav; VASICEK, Boh.

Experience in mechanization at the Prackovice railway track
repair station. Zel dop tech 11 no.3:82 '63.

BILY, M., inzh.; LAZAR, I., inzh.

Building and road machinery at the International Fair in Brno.
Stroi. i dor mash. 7 no.6:29-34 Je '62. (MIRA 15:7)
(Brno--Fairs) (Construction equipment--Exhibitions)
(Road machinery--Exhibitions)

BILY, Matej, inz.

New 5 let building machines. Inz stavby 12 no. 7. Supplement:
Mechanizace no. 7: 103-107 JI'64